·			
	Application No.	Applicant(s)	
A	10/074,355	MOORE ET AL.	
Notice of Allowability	Examiner	Art Unit	
	William P. Fletcher III	1762	
The MAILING DATE of this communication application application applied to the communication application and the communication applied to the communication application applied to the communication application applied to the communication applied	S (OR REMAINS) CLOSED in this ap 5) or other appropriate communication RIGHTS. This application is subject to	plication. If not include will be mailed in due	ded e course. THIS
1. \boxtimes This communication is responsive to <u>the RCE filed 11/8/2</u>	2004 and submission filed 1/28/2005.		
2. The allowed claim(s) is/are <u>13,16-21,23-31 and 69-80</u> .			
3. \boxtimes The drawings filed on <u>11 June 2002</u> are accepted by the	Examiner.		
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have the priority documents have Topies of the certified copies of the priority documents have Tertified copies not received: 	ve been received. ve been received in Application No		ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file a reply MENT of this application.	complying with the re	equirements
 A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gi 	mitted. Note the attached EXAMINER ves reason(s) why the oath or declara	'S AMENDMENT or I	NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") mid (a) including changes required by the Notice of Draftspe 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date (labeled as 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 7. DEPOSIT OF and/or INFORMATION about the depattached Examiner's comment regarding REQUIREMENT 	rson's Patent Drawing Review (PTO- r's Amendment / Comment or in the C 1.84(c)) should be written on the drawing the header according to 37 CFR 1.121(c) osit of BIOLOGICAL MATERIAL r	Office action of ngs in the front (not the d).	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB. Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	Paper No./Mail Dat	(PTO-413), te nent/Comment	owance
	TIMOTHY MEEKS PRIMAS: 'ER	William Phillip Flet Patent Examiner, I Group Art Unit 176	cher III JSPTO

Application/Control Number: 10/074,355 Page 2

Art Unit: 1762

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in

37 CFR 1.17(e), was filed in this application after final rejection. Since this application is

eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e)

has been timely paid, the finality of the previous Office action has been withdrawn pursuant to

37 CFR 1.114. Applicant's submission filed on 1/28/2005 has been entered.

2. To clarify the record at this point in the prosecution, claims 13, 16-21, 23-31, and 69-80

are pending.

Response to Arguments

3. Applicant's arguments, see the above-mentioned submission, with respect to the

rejections set-forth in the Office action mailed 8/11/2004 have been fully considered and are

persuasive. Brooks (US 3,826,301 A) generally teaches that overspray exists in plasma spraying

processes. The overspray collection system of Ivey, however, is designed for liquid paint. There

is no suggestion in Ivey or any other prior art reference suggesting that such a device could be

successfully utilized to collect molten metal overspray from the plasma spraying method of

Matsunaga. Further, when the references are taken as a whole, they can do no better than to

suggest that it would be obvious to try such a low pressure overspray removal, which does not

render the claims obvious (see MPEP § 2145(X)(B)). The rejections of the claims have been

withdrawn.

Allowable Subject Matter

4. Claims 13, 16-21, 23-31, and 69-80 are allowed.

5. The following is an examiner's statement of reasons for allowance: The closest prior art has been made of record. As noted above, there is no prior art reference or combination of references that teaches or reasonably suggests the claimed method comprising generating a reduced air pressure zone proximate the spray nozzle (said zone moveable with said nozzle) while spraying and moving the spray nozzle.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Fletcher III whose telephone number is (571) 272-1419. The examiner can normally be reached on Monday through Friday, 9 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Shrive P. Beck can be reached on (571) 272-1415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1762

William P. Fletcher III

Examiner Art Unit 1762

TIMOTHY MEEKS
PRIMARY EXAMINER